

L Number	Hits	Search Text	DB	Time stamp
1	2	(US-5263245-\$ or US-5740314-\$).did.	USPAT	2004/09/03 15:09
2	4371	irradiat\$3 and robot\$3	USPAT; US-PGPUB	2004/09/03 15:10
3	1075	(irradiat\$3 and robot\$3) and infrared	USPAT; US-PGPUB	2004/09/03 15:10
4	747	((irradiat\$3 and robot\$3) and infrared) and radiat\$3	USPAT; US-PGPUB	2004/09/03 15:10
6	459	250/495.1	USPAT; US-PGPUB	2004/09/03 15:10
7	2092	250/338.1	USPAT; US-PGPUB	2004/09/03 15:10
8	45	(250/495.1 or 250/338.1) and robot\$2	USPAT; US-PGPUB	2004/09/03 15:10
9	1820	(250/495.1 or 250/338.1) and infrared	USPAT; US-PGPUB	2004/09/03 15:10
10	1449	((250/495.1 or 250/338.1) and infrared) and radiat\$3	USPAT; US-PGPUB	2004/09/03 15:10
11	1489	((250/495.1 or 250/338.1) and infrared) and (radiat\$3 or irradiat\$)	USPAT; US-PGPUB	2004/09/03 15:10
12	942	((((250/495.1 or 250/338.1) and infrared) and (radiat\$3 or irradiat\$)) and reflect\$3	USPAT; US-PGPUB	2004/09/03 15:10
13	782	(((((250/495.1 or 250/338.1) and infrared) and (radiat\$3 or irradiat\$)) and reflect\$3) and (target or object)	USPAT; US-PGPUB	2004/09/03 15:10
14	604	(((((250/495.1 or 250/338.1) and infrared) and (radiat\$3 or irradiat\$)) and reflect\$3) and (target or object)) and position\$3	USPAT; US-PGPUB	2004/09/03 15:10
15	463	((((((250/495.1 or 250/338.1) and infrared) and (radiat\$3 or irradiat\$)) and reflect\$3) and (target or object)) and position\$3) and temperature	USPAT; US-PGPUB	2004/09/03 15:10
17	386	((((irradiat\$3 and robot\$3) and infrared) and radiat\$3) and (dry\$3 or dried or lacquer\$3)	USPAT; US-PGPUB	2004/09/03 15:10
18	400	((((irradiat\$3 and robot\$3) and infrared) and radiat\$3) and (dry\$3 or dried or lacquer\$3 or fixation)	USPAT; US-PGPUB	2004/09/03 15:10
19	409	((((irradiat\$3 and robot\$5) and infrared) and radiat\$3) and (dry\$3 or dried or lacquer\$3 or fixation)	USPAT; US-PGPUB	2004/09/03 15:10
20	422	((((irradiat\$3 and robot\$5) and infrared) and radiat\$3) and (dry\$3 or dried or lacquer\$3 or fixation or furnace)	USPAT; US-PGPUB	2004/09/03 15:11
21	630	((((irradiat\$3 and robot\$5) and infrared) and radiat\$3) and (dry\$3 or dried or lacquer\$3 or fixation or furnace or fixed)	USPAT; US-PGPUB	2004/09/03 15:11
23	459	250/495.1	USPAT; US-PGPUB	2004/09/03 15:11
24	541	250/455.11	USPAT; US-PGPUB	2004/09/03 15:11
25	160	250/454.11	USPAT; US-PGPUB	2004/09/03 15:11
26	318	250/453.11	USPAT; US-PGPUB	2004/09/03 15:11
27	22	250/422	USPAT; US-PGPUB	2004/09/03 15:11
28	397	250/424	USPAT; US-PGPUB	2004/09/03 15:11
29	430	250/365	USPAT; US-PGPUB	2004/09/03 15:11
30	2092	250/338.1	USPAT; US-PGPUB	2004/09/03 15:11
31	2086	250/343	USPAT; US-PGPUB	2004/09/03 15:11

32	254	250/497.1	USPAT; US-PGPUB	2004/09/03 15:11
33	1098	250/504R	USPAT; US-PGPUB	2004/09/03 15:11
34	113	(250/495.1 or 250/455.11 or 250/454.11 or 250/453.11 or 250/422 or 250/424 or 250/365 or 250/338.1 or 250/343 or 250/497.1 or 250/504R) and robot\$5	USPAT; US-PGPUB	2004/09/03 15:11
35	74	((250/495.1 or 250/455.11 or 250/454.11 or 250/453.11 or 250/422 or 250/424 or 250/365 or 250/338.1 or 250/343 or 250/497.1 or 250/504R) and robot\$5) and temperature	USPAT; US-PGPUB	2004/09/03 15:11
38	667	bar.in.	USPAT; US-PGPUB	2004/09/03 15:11
40	273	gaus.in.	USPAT; US-PGPUB	2004/09/03 15:11
42	12293	(irradiat\$3 or radiat\$3) and robot\$3	USPAT; US-PGPUB	2004/09/03 15:11
43	12349	(irradiat\$3 or radiat\$3) and robot\$5	USPAT; US-PGPUB	2004/09/03 15:11
44	3847	((irradiat\$3 or radiat\$3) and robot\$5) and (infrared or "IR")	USPAT; US-PGPUB	2004/09/03 15:11
45	2693	((irradiat\$3 or radiat\$3) and robot\$5) and (infrared or "IR")) and reflect\$4	USPAT; US-PGPUB	2004/09/03 15:11
46	2537	((irradiat\$3 or radiat\$3) and robot\$5) and (infrared or "IR")) and reflect\$4) and (target or object or wafer or specimen)	USPAT; US-PGPUB	2004/09/03 15:11
47	2121	((irradiat\$3 or radiat\$3) and robot\$5) and (infrared or "IR")) and reflect\$4) and (target or object or wafer or specimen)) and (dry\$3 or dried or lacquer\$3 or fixation or furnace or fixed)	USPAT; US-PGPUB	2004/09/03 15:11
5	386	((irradiat\$3 and robot\$3) and infrared) and radiat\$3) and (dry\$3 or dried)	USPAT; US-PGPUB	2004/09/03 15:12
16	72	(((((250/495.1 or 250/338.1) and infrared) and (radiat\$3 or irradiat\$3)) and reflect\$3) and (target or object)) and position\$3) and temperature) and (dry\$3 or dried)	USPAT; US-PGPUB	2004/09/03 15:12
22	17	((irradiat\$3 and robot\$5) and infrared) and radiat\$3) and (dry\$3 or dried or lacquer\$3 or fixation or furnace or fixed)) and (thermal adj radiat\$3)	USPAT; US-PGPUB	2004/09/03 15:12
36	42	((250/495.1 or 250/455.11 or 250/454.11 or 250/453.11 or 250/422 or 250/424 or 250/365 or 250/338.1 or 250/343 or 250/497.1 or 250/504R) and robot\$5) and temperature) and infrared	USPAT; US-PGPUB	2004/09/03 15:12
37	144	infrared same robot\$5 same temperature	USPAT; US-PGPUB	2004/09/03 15:12
39	11	bar.in. and kai	USPAT; US-PGPUB	2004/09/03 15:12
41	9	gaus-rainer.in.	USPAT; US-PGPUB	2004/09/03 15:12
48	63	(((((irradiat\$3 or radiat\$3) and robot\$5) and (infrared or "IR")) and reflect\$4) and (target or object or wafer or specimen)) and (dry\$3 or dried or lacquer\$3 or fixation or furnace or fixed)) and (robot\$5 near5 source)	USPAT; US-PGPUB	2004/09/03 15:12
49	82	((irradiat\$3 or radiat\$3) and robot\$5) and (infrared or "IR")) and reflect\$4) and (target or object or wafer or specimen)) and (robot\$5 near5 source)	USPAT; US-PGPUB	2004/09/03 15:12
50	10	6001204.pn. or 5751897.pn. or 5782974.pn. or 5740314.pn. 5735500.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/03 15:12

51	128	392/419	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/03 15:26
52	109	392/420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/03 15:26